

**Objekt:** Fylkir

**Customer:** ALTIS ehf

**Offer No.** FOR175249/360

**Address:**

**Date of offer:** 2017-10-02

**Reference:** Teddi

**Valid until:** 2017-12-02

**Phone:**

## Offert


**Unisport thank you for your request**

and has the pleasure of submitting a quote concerning: **Fylkir**

We hope you find our quote interesting and look forward to hearing from you!

Kind regards  
**UNISPORT AB**

*Anna Kugg*



Live to move. Move to live.

*Rantzows Sport, LEG, Istech, Zac Sportgolv, Saltex and Unisport Scandinavia is a part of the trade mark Unisport*

## DIVIDING CURTAINS

### Option 1: Single-sided dividing curtain

The MULTIROLL Dividing Curtain is a hoist able partition wall consisting of a one-sided covering of heavy foamed leatherette quality. The covering is impactproof, stretchproof and washable. The color of the covering to be determined from our standard color fan.

The MULTIROLL Dividing Curtain is run by an electric motor placed at the top in the centre of the width of the wall. The motor is a 230 V one-phase gear motor.

| No. of Walls | Width x Height    | Design of Breadths |
|--------------|-------------------|--------------------|
| 1 pcs        | 20 000 x 6 000 mm | Whole breadths     |

Curtain material: Weight 700 g/m<sup>2</sup>

Building-in Heights

Curtain Package will build

1000 mm, see also drawing

Motor and Lifting Device will build

170-450 mm, see also drawing

### Option 2: PVC/NET dividing curtain

The MULTIROLL Dividing Curtain is a hoist able partition wall consisting of a one-sided covering of heavy foamed leatherette quality up until 2,4 m and the rest consists of net with a mesh size of 100 mm. The MULTIROLL Dividing Curtain is run by an electric motor placed at the top in the centre of the width of the wall. The motor is a 230 V one-phase gear motor.

| No. of Walls | Width x Height    | Design  |
|--------------|-------------------|---------|
| 1 pcs        | 20 000 x 6 000 mm | PVC/net |

Curtain material: Weight 700 g/m<sup>2</sup> Net material: White, mesh size 100 mm and thickness 3 mm

Building-in Heights

Curtain Package will build

1000 mm, see also drawing

Motor and Lifting Device will build

170-450 mm, see also drawing

Not included in price is hotel cost for one (1) person in one (1) night, cost for rental car and local travel cost. We need also help from one (1) worker from you during installation in 2 days. Price is valid only if we can install in connection with the Haukar installation.



Installation: The price quoted includes installation of the wall system carried out by us.

Terms of Delivery: EXW, Hjärnarp, Sweden as per Incoterms 2010

Time of Delivery: To be agreed upon after receipt of your order.

Terms of Payment: To be agreed upon after receipt of your order.

Terms of Installation: Installation is carried out by us on condition that there is adequate support in the ceiling for the mounting of the dividing curtain and for the tube bearing and motor (see attached drawing).

The buyer has to make sure that the material delivered for the curtain is stored in room temperature and protected from moist. A temperature of at least +18° C is needed in the hall for the sewing and the final adjustments of the covering.

Further, the buyer has to arrange for the protection of the floor (6x20 m) and make sure that a movable scaffold is available at the site as well as electric current (220 V, 50 Hz) for the tools. Wiring and connection of the wires specified below to be arranged and paid for by the buyer:

- wire 5 x 1.5 mm<sup>2</sup> to the motor
- wire 4 x 1.5 mm<sup>2</sup> between the motor and the key switch

Guarantee: We give a guarantee of five year from the date of delivery. The guarantee includes faulty material and default in manufacture as well as in installation, provided installation has been carried out by our personnel. The guarantee is not applicable if the product has been installed by a third person or has been submitted to damages at the site. The guarantee does not include damages on individuals or property nor to stoppage caused by defective goods.

Validity: This offer is valid up to two months from date of issue.